Acta Balneologica

CZASOPISMO POLSKIEGO TOWARZYSTWA BALNEOLOGII I MEDYCYNY FIZYKALNEJ JOURNAL OF THE POLISH BALNEOLOGY AND PHYSICAL MEDICINE ASSOCIATION

TOM LXIII

NUMER 1 (163)/2021 NUMBER 1 (163)/2021 KWARTALNIK QUARTERLY STYCZEŃ-MARZEC JANUARY-MARCH



Acta Balneologica

REDAKCJA/EDITORIAL BOARD:

prof. Włodzisław Kuliński - redaktor naczelny/Editor in Chief

REDAKCJA ZAGRANICZNA/ /FOREIGN EDITOR:

Walter Karpinski

REDAKTORZY TEMATYCZNI//TOPIC EDITORS:

dr Hanna Tomczak - rehabilitacja, balneologia, medycyna fizykalna dr Jacek Chojnowski - interna, balneologia, medycyna fizykalna dr Przemysław Adamczyk - urologia, balneologia, medycyna fizykalna dr Alicja Szymańska-Paszczuk balneokosmetologia

REDAKTORZY JęZYKOWI/ /LANGUAGE EDITORS:

mgr Agnieszka Rosa prof. Oleksandr Pułyk

REDAKTOR STATYSTYCZNY//STATISTICAL EDITOR:

mgr Ewa Guterman

RADA NAUKOWA/ /SCIENTIFIC BOARD:

Przewodnicząca/Chairwoman:

prof. Irena Ponikowska, Ciechocinek

Członkowie/Members:

prof. Krzysztof Błażejczyk, Warszawa prof. Mirosław Boruszczak, Gdańsk dr hab. Marek Chabior, Szczecin

prof. Grzegorz Cieślar, Bytom prof. Wojciech Ciężkowski, Wrocław dr hab. Dariusz Dobrzyński, Warszawa prof. Andrzej M. Fal, Warszawa prof. Tomasz Ferenc, Łódź prof. Wojciech Gruszczyński, Łódź dr Piotr Kalmus, Bydgoszcz dr Woiciech Kasprzak, Poznań prof. Jerzy Kiwerski, Warszawa prof. Robert Latosiewicz, Białystok dr Teresa Latour, Poznań prof. Krzysztof Marczewski, Zamość prof. Roman Ossowski, Bydgoszcz prof. Aleksander Ronikier, Warszawa prof. Włodzimierz Samborski, Poznań prof. Aleksander Sieroń, Bytom prof. Anna Straburzyńska-Lupa, Poznań dr Irena Walecka, Warszawa prof. Bohdan Wasilewski, Warszawa prof. Piotr Wiland, Wrocław prof. Jerzy Woy-Wojciechowski, Warszawa

MIęDZYNARODOWA RADA NAUKOWA/ /INTERNATIONAL SCIENTIFIC BOARD:

prof. Zygmunt Zdrojewicz, Wrocław

prof. Yuko Agishi, Japan

prof. Tomas Bender, Hungary

prof. Sholpan Bulekbayeva, Kazakhstan

prof. Pedro Cantista, Portugal

prof. Nino Chikhladze, Georgia

prof. Alina V. Chervinskaya, Russia

prof. David Ferson, USA

prof. Antonelle Fioravanti, Italy

prof. Christopher Gutenbrunner, Germany

prof. Giovanni Gurnari, Italy

prof. Shigeko Inokuma, Japan

prof. Zeki Karagulle, Turkey

dr Jan Lidaj, Slovak Republik prof. Olga G. Morozowa, Ukraine dr K'tso Nghargbu, Nigeria prof. Yoshinori Ohtsuko, Japan prof. Vitalii Pashkov, Ukraine prof. Oleksandr Pulyk, Ukraine prof. Alexander N. Razumov, Russia prof. Christian Francois Roques, France prof. Krzysztof Schoeneich, Nigeria prof. Gabriel Reyes Secades, Cuba dr hab. Urszula Smorag, Germany prof. Umberto Solimene, Italy prof. Olga Surdu, Romania prof. Sergo I. Tabagari, Georgia prof. Rosalba Vanni, Italy dr Khaj Vu, USA prof. Olha Yezhova, Ukraine

WYDAWCA/PUBLISHER:

Wydawnictwo Aluna ul. Przesmyckiego 29 05-510 Konstancin Jeziorna www.actabalneologica.pl

KOORDYNATOR PROJEKTU//PROJECT COORDINATOR:

MEDDOM PRESS tel. 604-208-453 barbadom@wp.pl

OPRACOWANIE GRAFICZNE/ /GRAPHIC DESIGN:

Piotr Dobrzyński www.poligrafia.nets.pl

PRENUMERATA/SUBSCRIPTION:

prenumerata@wydawnictwo-aluna.pl

Wydanie czasopisma Acta Balneologica w formie papierowej jest wersją pierwotną (referencyjną). Redakcja wdraża procedurę zabezpieczającą oryginalność publikacji naukowych oraz przestrzega zasad recenzowania prac zgodnie z wytycznymi Ministerstwa Nauki i Szkolnictwa Wyższego.

© Aluna

SPIS TREŚCI/CONTENTS

ORIGINA	AL ARTICLES/PRACE ORYGINALNE	
	Włodzisław Kuliński, Katarzyna Szymczyk Postępowanie fizykalne u chorych po przebytym krwotoku podpajęczynówkowym. Studium kliniczne i społeczne Physical Therapy in Patients After Subarachnoid Haemorrhage. Clinical and Social Study	5
	Agnieszka Jankowska, Paulina Klimkiewicz, Sylwia Krukowska, Marta Woldańska-Okońska Assessment of the Impact of Training on the Stabilometric Platform Using the Biofeedback Method on Improving Balance and Functional Efficiency of Patients After a Stroke Ocena wpływu treningu na platformie stabilometrycznej z wykorzystaniem metody biofeedbacku na poprawę równowagi i sprawności funkcjonalnej u chorych po udarze mózgu	15
	Denys N. Khramtsov, Olexandr N. Stoyanov, Tetiana N. Muratova, Olexandr R. Pulyk Neurorehabilitation in the Early Recovery Period of Ischemic Stroke. Pharmacology Support Neurorehabilitacja we wczesnym okresie udaru niedokrwiennego mózgu. Wsparcie farmakologiczne	22
	Ihor Vypasnyak, Bogdan Mytskan, Serhiy Popel, Tetyana Mytskan, Iryna Ivanyshyn, Volodymyr Banakh, Lyubov Levandovska, Viktoria Gryb Non-medicinal Correction of Motor Disorders of the Valley of the Foot in Multiple Sclerosis Niefarmakologiczne metody korekcji zaburzeń motoryki sklepienia stopy u pacjentów ze stwardnieniem rozsianym	26
	Liliya S. Babinets, Halyna M. Sasyk, Iryna M. Halabitska, Victoria R. Mykuliak Possibilities of Complex Rehabilitation of Patients with Type 2 Diabetes and Concomitant Chronic Pancreatitis in Ambulatory Practice	
	Możliwości kompleksowej rehabilitacji pacjentów z cukrzycą typu 2 i współwystępującym przewlekłym zapaleniem trzustki w praktyce ambulatoryjnej Inna I.Torianyk	33
	Etiopathogenetic Assessment of Tick Skin Injuries in Vacationers of Suburban Resorts and Tourists of Ukraine as a Component of a Complex Diagnostic Algorithm of Babesiosis Ocena etiopatogenetyczna zmian skórnych wywołanych przez kleszcze u wczasowiczów podmiejskich kurortów i turystów na Ukrainie jako element złożonego algorytmu diagnostycznego babeszjozy	38
	Grygoriy P. Griban, Vladyslav A. Smiianov, Natalia A. Lyakhova, Pavlo P. Tkachenko, Alla M. Harlinska, Nadya Yu. Dovgan, Roman P. Karpiuk, Yurii A. Brytan The Impact of Nutritional Quality on the Students' Health Wpływ jakości odżywiania na stan zdrowia studentów	43
	Mateusz W. Romanowski, Anna Kostiukow, Wojciech Strzelecki, Piotr Poniewierski, Kinga Litwin, Ewa Mojs, Włodzimierz Samborski Czy osoby chorujące na reumatoidalne zapalenie stawów potrzebują wsparcia psychicznego ze względu na ryzyko wystąpienia depresji?	
DE\/IE\/	Do People with Rheumatoid Arthritis Need Mental Support?	55
KEVIEW	'S ARTICLES/PRACE POGLĄDOWE Anna Kokocińska, Przemysław Adamczyk, Irena Ponikowska Co morsowanie ma wspólnego z balneoterapią What does Winter Swimming Have to do with Balneotherapy?	60
	Sebastian Szyper, Paweł Zalewski Evaluation of the Autonomic Nervous System Changes and Temporal-Spatial Gait Analysis in Patients with Ischemic Stroke Subjected to Neurorehabilitation Conventional Methods and Using Special. Literature Revie Ocena zmian aktywności autonomicznego układu nerwowego i czasowo-przestrzenna analiza chodu u pacjentów po udarze niedokrwiennym mózgu, poddanych neurorehabilitacji tradycyjnymi metodami terapii i wg metod specjalnych. Przegląd piśmiennictwa	65
PRACA	KAZUISTYCZNA/CASE REPORT	03
INACA	Agnieszka Maruszewska, Lech Panasiuk, Katarzyna Bryzek-Michalak Rehabilitacja w zespole Devica. Opis przypadku Rehabilitation in Devica's Syndrome. Case Report	71

Acta Balneologica

w prenumeracie www.actabalneologica.eu

Czasopismo
jest indeksowane w MNiSW - 20 pkt.,
w bazie ESCI (Web of Science), EBSCO,
Index Copernicus
Oraz w
Polskiej Bibliografii
Lekarskiej,
Bibliografii Geografii Polskiej

Prenumerata

Cena rocznej prenumeraty Acta Balneologica (4 kolejne wydania) - 60 zł dla członków Towarzystwa i studentów, 100 zł dla instytucji i osób niebędących członkami Towarzystwa. Odpowiednią kwotę należy wpłacać na konto:

Credit Agricole 82 1940 1076 3010 7407 0000 0000

Wydawnictwo Aluna ul. Przesmyckiego 29 05-510 Konstancin Jeziorna www.actabalneologica.eu

Zamówienie można również złożyć:

e-mailem: prenumerata@wydawnictwo-aluna.pl listownie: Wydawnictwo Aluna

> ul. Przesmyckiego 29 05-510 Konstancin Jeziorna www.actabalneologica.eu

Szanowni Państwo!

Uprzejmie informujemy, że od 2020 roku opłata za publikację artykulu w czasopiśmie Acta Balneologica wynosi 750 zł plus 23% VAT dla polskich autorów i 150 euro dla zagranicznych. Wydawnictwo wystawia faktury zarówno instytucjom zatrudniającym Autorów i opła cającym druk artykulu, jak i Autorom, którzy sami placą za swoją publikację.

Poniżej numer konta: Credit Agricole 82 1940 1076 3010 7407 0000 0000

W imieniu Redakcji i Wydawcy Acta Balneologica – oficjalnego czasopisma Polskiego Towarzystwa Balneologii i Medycyny Fizykalnej (ukazuje się od 1905 r.) serdecznie zapraszamy na nową stronę internetową www.actabalneologica.eu na której m.in. publikujemy artykuły w otwartym dostępie. Przypominamy, że Acta Balneologica jest w bazie Web of Science (ESCI), EBSCO, ma 20 punktów MNiSW oraz posiada stały patronat Komitetu Rehabilitacji PAN.

Jednocześnie zachęcamy Państwa do odwiedzenia i polubienia profilu Acta Balneologica na Facebooku. https://www.facebook.com/actabalneologica/. Zamieszczamy tam posty z zakresu medycyny uzdrowiskowej, będziemy dzielić się informacjami dotyczącymi metod leczenia w uzdrowiskach.

Informacja prasowa

ODMŁADZAJĄCE NOWOŚCI

Wśród naturalnych Balneokosmetyków na bazie najsilniejszej na świecie wody siarczkowej pojawiły się dwie nowości: Krem odmładzający pod oczy oraz Liftingujące serum do twarzy, szyi i dekoltu. Preparaty pochodzą z nowej serii odmładzającej Balneokosmetyków i przeznaczone są do specjalistycznej pielęgnacji skóry z oznakami przedwczesnego starzenia się.

Kosmetyki mają intensywne działanie przeciwzmarszczkowe i liftingujące.

Balneokosmetyki to unikalne połączenie wyjątkowej mocy leczniczej wody siarczkowej o najsilniejszym na świecie stężeniu substancji aktywnych z tradycyjnymi właściwościami naturalnych surowców i ekstraktów roślinnych. To kosmetyki pielęgnacyjne, które kultywują prawdziwą ideę SPA: sanus per aquam – zdrowy przez wodę. Kosmetyki są w 100% ekologiczne, pozbawione parabenów, silikonów i sztucznych barwników.

Krem odmładzający pod oczy to kosmetyk długotrwale i intensywnie nawilżający skórę, poprawiający jej jędrność oraz elastyczność.

Preparat pobudza syntezę kolagenu i odnowę naskórka oraz łagodzi podrażnienia. Doskonale pielęgnuje dojrzałą skórę wokół oczu, czyniąc ją miękką i pełną blasku. Kosmetyk skutecznie koryguje kurze łapki i zmarszczki, które spędzają sen z powiek wielu kobietom. Kompleksowe działanie i spektakularne efekty zapewnia unikalna formuła Elixiru: najsilniejsza na świecie, lecznicza woda siarczkowa ze źródła "Malina", MATRIXYL®synthe'6®, kwas hialuronowy, olejek arganowy, witamina E oraz masło Shea.

Liftingujące serum do twarzy, szyi i dekoltu posiada silne działanie przeciwzmarszczkowe i liftingujące. Kosmetyk to innowacyjna formuła

składająca się z najsilniejszej na świecie leczniczej wody siarczkowej ze źródła "Malina", MATRIXYL®synthe'6®, kwasu hialuronowego oraz witaminy C, która sprawia, że już po miesiącu stosowania, skóra staje się wyraźnie młodsza, a zmarszczki i linie zredukowane. Serum intensywnie i długotrwale nawilża skórę, czyniąc ją aksamitną w dotyku i sprawiając, że odzyskuje ona jędrność i elastyczność. Dzięki skoncentrowanej formule, serum rozjaśnia zmiany pigmentacyjne oraz wyrównuje koloryt. Świetnie nadaje się jako baza pod podkład. Krem odmładzjący pod oczy oraz Liftingujące serum do twarzy, szyi i dekoltu są doskonałe do specjalistycznej pielęgnacji skóry z oznakami przedwczesnego starzenia się. Preparaty mają intensywne działanie przeciwzmarszczkowe, liftingujące i odmładzające.

Nowości kupić można w sklepie internetowym na stronie www.balneokosmetyki.pl , w obiektach należących do sieci "Malinowe Hotele" oraz dobrych aptekach i drogeriach.

The Impact of Nutritional Quality on the Students' Health

Wpływ jakości odżywiania na stan zdrowia studentów

DOI: 10.36740/ABAL202101107

Grygoriy P. Griban¹, Vladyslav A. Smiianov², Natalia A. Lyakhova³, Pavlo P. Tkachenko⁴, Alla M. Harlinska¹, Nadya Yu. Dovgan⁵, Roman P. Karpiuk⁶, Yurii A. Brytan⁻

¹Zhytomyr Ivan Franko State University, Zhytomyr, Ukraine

²Sumy State University, Sumy, Ukraine

³Ukrainian Medical Stomatological Academy, Poltava, Ukraine

⁴Polissia National University, Zhytomyr, Ukraine

⁵University of State Fiscal Service of Ukraine, Irpin, Ukraine

⁶Academy of Recreational Technologies and Law, Lutsk, Ukraine

⁷Ukrainian Engineering Pedagogical Academy, Kharkiy, Ukraine

SUMMARY

Aim: To study the nutritional quality and its impact on the health of the students of higher education institutions.

Material and Methods: 647 students were interviewed. A questionnaire, which contains 17 questions and is aimed at studying the quality of students' nutrition, was created by authors. Experimental (EG, n = 60) and control (CG, n = 60) groups were formed. The EG included the students whose diet was rational while studying, the CG included the students whose diet was irrational. The level of students' health was examined at the end of studying according to the methodology of professor G.L. Apanasenko.

Results: It was found that only 30.6% of students ate 3-4 times a day, 14.4% - twice a day, 49.8% did not follow any dietary regimen, and 7.9% of students would not eat breakfast at al 43.7% of male students and 53.3% of female students did not follow a dietary regimen at all. A comparative analysis of the physical health of students of EG and CG showed that among both male and female students, the students whose diet was rational had significantly better (p<0.001) level of health.

Conclusions: It was determined that the majority of students had low nutritional quality while studying: nutrition was irrational, incomplete, and not varied. This does not contribute to a healthy lifestyle of modern students and can negatively affect the efficiency of their future professional activities.

Key words: nutritional quality, health, students

STRESZCZENIE

Cel: Celem pracy było zbadanie jakości odżywiania i jej wpływu na stan zdrowia studentów uczelni wyższych.

Materiał i metody: Dane uzyskano od 647 studentów. Autorzy stworzyli kwestionariusz zawierający 17 pytań, którego celem było zbadanie jakości odżywiania studentów. Wyróżniono dwie grupy: eksperymentalną (EG, n = 60) oraz kontrolną (CG, n = 60). Grupa EG obejmowała studentów, których dieta była racjonalna podczas nauki, a CG obejmowała studentów, których dieta była nieracjonalna. Na zakończenie nauki zbadano stan zdrowia studentów według metodyki prof. G. L. Apanasenko.

Wyniki: Stwierdzono, że tylko 30,6% studentów jadło posiłki 3-4 razy dziennie, 14,4% - dwa razy dziennie, 49,8% nie stosowało żadnej diety, a 7,9% studentów w ogóle nie jadło śniadania. 43,7% studentów płci męskiej i 53,3% studentek w ogóle nie przestrzegało diety. Analiza porównawcza stanu zdrowia fizycznego studentów EG i CG wykazała, że zarówno wśród studentów, jak i studentek, osoby których dieta była racjonalna, charakteryzowały się istotnie lepszym (p<0,001) stanem zdrowia.

Wnioski: Stwierdzono, że większość studentów w trakcie studiów charakteryzowała się niską jakością odżywiania: żywienie było nieracjonalne, niepełne i niezróżnicowane. Zachowania te nie przyczyniają się do promocji zdrowego stylu życia współczesnych studentów i mogą negatywnie wpłynąć na efektywność ich przyszłych działań zawodowych.

Słowa kluczowe: jakość odżywiania, stan zdrowia, studenci

Acta Balneol, TOM LXIII, Nr 1(163);2021:43-54

INTRODUCTION

The profound socio-economic transformations that are taking place at the present stage of human evolution, the rapid growth of the world's population require a revision of the conceptual provisions of food security on a global scale. Nutrition is one of the most important forms of interaction between the human body and the environment, which provides the body with complex organic compounds and simple chemicals, minerals, and water. The organism needs them to build and regenerate cells and tissues and to cover the body's energy expenditure. The qualitative and quantitative composition of food significantly affects the state of human life [1-5].

In the conditions of the intense educational process, insufficient material security, constant change of environment, contradictory characteristics of food products, fast food, genetically modified products, grown in polluted ecological conditions, etc., the situation of the students' nutrition has significantly deteriorated. The traditional ideas about diets are not enough to maintain health and ensure a healthy lifestyle of students today. Nutrition is one of the main factors of a healthy lifestyle [6-8]. The development and formation of the organism, the state of health, and the level of efficiency depend on the state of nutrition [9-11]. Nutrition is a controlled factor that also affects all physiological, mental and social functions of people, shapes their life, influences the longevity, and creative and labor potential. The quality of nutrition has an effect on the mental and physical capacity of people, their development and growth, resistance to disease, and the ability to prolong life. Food should be varied, have a good appearance, and meet the needs and habits developed depending on a person's age, profession, living conditions, nationality, and other characteristics [12-14].

According to scientists [15-17], the energy spent in the course of life is restored only through food. Therefore, each student must have a conscious attitude to the diet, constantly update the knowledge, and take into account the recommendations of experts on the peculiarities of nutrition, based on specific living conditions. Thus, the teachers of physical education have to solve a number of problems, including the introduction of educational programs in the field of nutrition, promoting the basics of nutrition among students which is one of the links of a healthy lifestyle [18-20].

According to experts [21-23], all food sources with certain components, especially plants, can affect metabolic processes in the human body. Thus, cabbage contains substances that treat gastric and duodenal ulcers and have anti-cancer effects; carrot is used in cardiovascular and gallbladder diseases; table beet is widely used for anemia, etc. There is a number of plant products (sorrel, rhubarb, tomatoes, legumes, a very large number of medicinal plants), which can be harmful when consumed in large quantities. It should also be noted that cooking can enhance the beneficial qualities of food or destroy and sharply reduce harmful ones [24-26].

Scientists [27, 28] found that more than 60% of Ukrainians with a low level of total expenditures, mostly students, consume

mainly potatoes and bread. Similar data were obtained in the research [29, 30], which confirmed that students' diets had the lack of biologically complete products of animal origin, fish, pectin and fiber, which regulate the activity of the large intestine. At the same time, the number of simple carbohydrates and animal fats was increased in the students' nutrition. A monotonous fat-carbohydrate diet leads to weight gain, accelerates the development of atherosclerosis, causes hypertension, insulin-dependent diabetes, and cancer, which eventually leads to disability.

It was proven that eating disorders throughout life lead to the typical diseases of the elderly, namely: cardiovascular system, stroke, diabetes, cancer, osteoporosis, cataracts, and glaucoma [31, 32]. An unbalanced diet leads to the development of chronic non-communicable diseases (hypertension, coronary heart disease, diabetes). Insufficient protein and energy nutrition causes such infectious disease as tuberculosis. Inadequate food prevention also leads to the disease of endemic goiter and the growth of iron deficiency among girls and women of childbearing age. According to the WHO, rational and scientifically sound nutrition can prevent the development of cancer in the range of 35-50% [26, 33]. At the same time, a number of studies [13, 34, 35] revealed many serious deficiencies in student nutrition. Therefore, 73.6% of students did not follow any food norms, 84.2% had no diet regimen, 95.7% did not follow food ration. Thus, the study of the nutritional quality of modern students and its impact on the health of young students in order to improve their lives is relevant.

AIM

The aim of this work is to study the nutritional quality and its impact on the health of the students of higher education institutions.

MATERIAL AND METHODS

The determination of the students' nutritional quality was conducted at Polissia National University and Zhytomyr Ivan Franko State University in 2014-2019. Thus, 647 students of different specialties between the ages of 17 and 23 were interviewed. A questionnaire created by the authors of this article was used for the survey in accordance with the requirements of the Code of Ethics of Polissia National University. The questionnaire contains 17 questions and is aimed at studying the nutrition quality of the students of higher education institutions of Ukraine as one of the main factors of their health, physical and mental capacity, and professional longevity (Attachment 1). The questionnaire was assessed by the experts in this field (5 professors and 7 associate professors) and was approved by the Academic Council of Polissia National University (Protocol No. 5 dated 29.08.2014). Consent to voluntary participation in the survey was obtained from all the students involved in the study.

Experimental (EG, n = 60) and control (CG, n = 60) groups were formed to study the impact of nutritional quality on the students' health. The experimental groups included the students (30 males and 30 females) whose diet was rational while studying at higher education institution, the control

groups included the students (30 males and 30 females) whose diet was irrational. The level of students' health was examined at the end of studying at higher education institutions according to the methodology of the assessment of the somatic health level (by professor G. L. Apanasenko) based on the anthropometry indicators and the state of the cardiovascular system [36]. The health level was evaluated in points and it included the estimation of the body mass index (the ratio of body weight to body length), life index (the ratio of lung capacity to body weight), Robinson's index (a product of heart rate and systolic blood pressure), power index (the ratio of the wrist dynamometry to body weight) and heart rate recovery after a standard exercise (20 squats in 30 sec). Medical examinations were conducted by the doctors of medical centers of these higher education institutions.

The methods of investigation: questionnaire survey, methods of mathematical statistics, theoretical analysis and generalization of the scientific and methodological literature: 42 sources on the topic of the article from the scientometric databases PubMed, Scopus, Web of Science Core Collection and others were analyzed. The authenticity of the difference between the indicators of students of EG and CG was determined by Student's t-test and the dynamics of the indicators during studying were examined.

This study complies with the ethical standards of the Act of Ukraine "On Higher Education" No. 1556-VII dated 01.07.2014 and the Letter from the Ministry of Education and Science of Ukraine "On the Academic Plagiarism Prevention" No. 1/11-8681 dated 15.08.2018. Also, this study followed the regulations of the World Medical Association Declaration of Helsinki – ethical principles for medical research involving

human subjects. Informed consent was received from all individuals who took part in this research.

RESULTS

One of the indicators of a healthy lifestyle, maintaining the health of students is a balanced diet, i. e. a properly organized supply of the body with well-prepared, nutritious, and tasty food that contains the optimal amount of various substances necessary for its development and functioning. Our detailed studies of the students' diet almost confirmed the previously obtained data [1, 3]. It was indicated that only 30.6% of students ate 3-4 times a day, 14.4% – twice a day, and 49.8% ate not following any regimens, and 7.9% of students would not eat breakfast at all, which is a violation of one of the requirements for a healthy lifestyle (Table 1).

The students, who do not follow a diet, often overeat, have an unbalanced diet, and do not follow the regimen. In general, the survey showed that male students followed diet better. Thus, 41.6% consumed food 3-4 times a day, whereas only 24.2% of female students followed the regimen. It should be noted that 43.7% of male students and 53.3% of female ones did not follow a diet at all. Eating twice a day and especially overeating in the evening can quickly lead to overweight, obesity, and general metabolic disorders.

The diet analysis of the students of different education departments also confirmed the general unsatisfactory picture in the nutrition system. Only 7.3% of the students of the sports department consumed food at a certain time, 14.5% – twice a day, 8.9% – would not eat breakfast, 46.8% – never followed the regime (Table 2).

Table 1. The students' assessment of their own diet (n = 647, %)

Food consumption	Gender -		Total %			
rood consumption	Gerider	1st	2nd	3rd	4th	TOLAL /0
	males	42.8	45.3	40.0	32.4	41.6
3-4 times a day	females	26.8	24.1	19.6	24.7	24.2
ŕ	in total	35.8	29.4	27.9	26.9	30.6
	males	6.7	3.1	2.9	11.8	5.9
Always at a certain time	females	6.1	3.7	3.9	1.2	3.7
•	in total	6.4	3.5	3.5	4.2	4.5
	males	11.4	15.6	8.6	14.7	12.6
2 times a day	females	15.9	12.0	17.6	21.2	15.4
·	in total	13.4	12.9	14.0	19.3	14.4
Have dinner 2-3 hours before	males	4.8	_	8.6	14.7	5.5
nave diffier 2-3 flours before						4.6
	in total	4.3	4.3	8.1	5.0	4.9
	males	3.8	1.6	8.6	5.9	4.2
Eat right before going to sleep	females	2.4	3.7	2.0	1.2	2.7
	in total	3.2	3.1	4.7	2.5	3.2
	males	3.8	4.7	5.7	5.9	4.6
Do not have breakfast	females	6.1	7.3	21.6	11.8	9.8
	in total	4.8	6.7	15.1	10.1	7.9
	males	40.0	37.5	57.1	52.9	43.7
Do not follow the regimen						53.3
,	in total	44.9	51.8	55.8	48.7	49.8

Table 2. The assessment of the students' of different education departments diet (n = 647, %)

Food concumption	Gender -	Ec	lucation departmen	ts
Food consumption	Gender	special	main	sports
3-4 times a day	males	37.7	42.9	42.3
	females	17.5	27.1	23.1
	in total	24.7	32.4	32.3
Always at a certain time	males	3.8	5.6	8.5
	females	2.1	3.6	6.2
	in total	2.7	4.3	7.3
2 times a day	males	13.2	11.1	15.3
	females	16.5	15.4	13.8
	in total	15.3	13.9	14.5
Have dinner 2-3 hours before going to sleep	males females in total	15.1 3.1 7.3	4.0 5.7 5.1	3.1 1.6
Eat right before going to sleep	males	5.7	4.8	1.7
	females	1.0	2.4	4.6
	in total	2.7	3.2	3.2
Do not have breakfast	males	5.7	4.8	3.4
	females	6.2	9.7	13.8
	in total	6.0	8.0	8.9
Do not follow the regimen	males	60.4	29.7	37.3
	females	56.7	51.4	55.4
	in total	58.0	47.5	46.8

Table 3. The assessment of the students' nutritional quality (n = 647, %)

Nutrition indicators	Gender -		The year o	f study		Total
Nutrition indicators	Gender -	1st	2nd	3rd	4th	%
	males	46.7	51.6	54.3	50.0	49.6
Often eat heavy, cold, and dry foods	females	48.7	47.1	60.8	49.4	49.6
,	in total	47.6	48.2	58.1	49.6	49.6
	males	26.7	35.9	31.4	50.0	33.2
Often eat fat, bitter, sour, and oversalt foods	females	22.0	18.8	31.4	22.0	21.8
	in total	24.6	23.1	31.4	30.0	26.0
	males	39.0	35.9	51.4	32.4	39.1
Often eat fast food	females	32.9	36.6	15.7	22.4	30.3
	in total	36.4	36.5	30.2	25.2	33.5
Drink strong tea and coffee more than	males	31.4	20.3	20.0	29.4	26.5
Drink strong tea and correct more than						35.2
	in total	32.1	34.1	29.1	29.4	32.0
	males	83.8	79.7	80.0	79.4	81.5
Like to have a substantial meal often	females	48.8	53.4	39.2	50.6	50.1
	in total	68.4	60.0	55.8	58.8	61.7
Like to have a substantial meal sometimes	males	9.5	6.3	17.1	8.8	9.7
Enc to have a substantial meal sometimes	2. c.c.l	40.0	40.0	27.7	22.5	22.7
	in total	10.2	18.0	26.7	23.5	17.9
	males	41.0	34.4	28.6	20.6	34.5
Have a hunger day	females	45.1	50.3	37.3	41.2	45.7
	in total	42.8	46.3	33.7	35.3	41.6
	males	4.8	1.6	2.9	8.8	4.2
Keep diets	females	26.8	35.1	17.6	12.9	26.7
	in total	14.4	26.7	11.6	11.8	18.4
	males	34.3	35.9	37.1	55.9	38.2
Confidently recognized their nutrition as poor	females	41.5	38.7	47.1	35.3	39.6
,	in total	37.4	38.0	43.0	41.2	39.1

In the modern system of sports training, rational nutrition is considered as one of the leading factors that ensure high working capacity, adaptive reactions and efficiency of recovery processes during intense muscular activity [37, 38]. Therefore, the nutrition of students who are actively involved in sports, participate in competitions, is characterized by the increased need for energy and additional nutrients, and, in turn, requires a rational and balanced diet.

The assessment of the quality of the students' nutrition showed that 49.6% of students ate cold and dry food quite often; 26% – ate fat and oversalt foods often; 33.5% – fast food products (vermicelli, chicken broths, etc.); more than 32% of students drank strong coffee and tea more than 2-3 times a day; 61.7% liked to have a substantial meal often, which accounts for 81.5% male students that is caused by constant hunger. In general, 39.1% of students confidently recognized their nutrition as poor, not meeting the basic requirements of the qualitative and quantitative composition of the diet (Table 3).

A significant place in the students' diet should be occupied by the first courses (broths, soups, and others), which have a certain physiological significance for humans. Their content of extractive and aromatic substances encourages the secretion of digestive juices, increased appetite, and assimilation of food. The taste of the first courses depends to some extent on the quality of the broth on which they are cooked (meat, bone, meat and bone, fish, mushroom, vegetable, dairy). Nitrogenous and nitrogen-free extractives give flavor to broths. Nitrogenous extractives include free amino acids, creatine, creatinine, and purine bases. Nitrogen-free extractives comprise glycogen, glucose, inositol, and lactic acid. The first courses should occupy a significant place in the menu of students. However, the obtained data showed that 21.5% of students only occasionally ate the first courses, 31.2% – once every 2-3 days, 37.7% – once a day and only 9.6% of students ate the first courses twice a day (Table 4).

A significant place in the diet of students is taken by cereals, which are an integral part of both the first and the second courses. Cereals are healthful and can replace quite expensive products in terms of nutritional value. In the conditions of radiation pollution, preference is given to oats and buckwheat,

which contain a lot of complete protein, essential amino acids, vegetable fat, magnesium salts and polyphenols, which have anti-radiation effects. It was found that students rarely included oatmeal in their diet, it was dominant among cereals only for 4% of students. The preference was given to buckwheat (69.2%) and rice (52.7%), peas, millet, and wheat groats were also less popular (Table 5).

Seafood, unlike freshwater fish, is less contaminated with radionuclides, so sea fish and other seafood should be eaten daily. To eliminate iodine deficiency, one should eat seaweed, sea fish, mussels, squid, shrimp, and meat of marine animals. Seafood is also an important source of fats, proteins, vitamins, and minerals. Unfortunately, the students' consumption of fish and seafood was very low. Only 5.3% of students used them in sufficient quantities, and 35.1% – 1-2 times a week, 35.6% – very rarely (Table 6).

Low consumption of milk and dairy products causes calcium deficiency. The sulfur-containing amino acids and calcium, which have a radioprotective effect, make cheese and cottage cheese indispensable in the daily diet. In addition, dairy products are a source of protein, fat, carbohydrates, vitamins, minerals, etc. Currently, the situation with dairy products in the diet of students is quite acute. The students like to consume milk, various dairy products, cheeses, but, unfortunately, they are often absent in student canteens, and are quite expensive in shops. The studies showed that only 11% of students could afford to consume milk and dairy products 2-3 times a day and in sufficient quantities, 18.5% – consumed only 1 time a day, and the rest of the students did not include these products in their diet in sufficient quantities. Almost a third of students (27.1%) consumed dairy products 1-2 times a week, and 27.5% – very rarely (Table 7).

Research data [6, 8] showed that the consumption of fresh vegetables in the winter-spring period was unsatisfactory for 74.4% of students, and met the need for only some of them by 25-65%. The studies confirmed that only 11% of students consumed fresh vegetables and fruits in sufficient quantities and in a wide range in winter, and 70.6% – consumed them mainly once a day and only locally-produced ones (Table 8). Vegetables contain non-starch carbohydrates (alginates,

Table 4 The	frequency of the	students'	consumption (of the first	courses (n = 647, %)

The number of times	Gender -		Total			
The number of times	Gender	1st	2nd	3rd	4th	%
	males	18.1	7.8	14.3	2.9	12.6
Twice a day	females	17.1	6.3	5.9	3.5	7.8
•	in total	17.6	6.7	9.3	3.4	9.6
	males	45.7	42.2	51.4	53.0	46.6
Once a day	females	29.3	34.6	31.3	31.8	32.5
,	in total	38.5	36.5	39.5	37.8	37.7
	males	21.0	21.9	25.7	26.5	22.7
One every 2-3 days	females	22.0	38.2	47.1	38.8	36.2
, , ,	in total	21.4	34.1	38.4	35.3	31.2
	males	15.2	28.1	8.6	17.6	18.1
Sometimes	females	31.6	20.9	15.7	25.9	23.5
	in total	22.5	22.7	12.8	23.5	21.5

Table 5. Cereals that dominate in the diet of students (n = 647, %)

The name of cereals	Gender –		The year	of study		- Total %
The name of Cereals	Gerider –	1st	2nd	3rd	4th	- IOLAI /0
	males	66.7	68.8	80.0	82.4	71.4
Buckwheat	females	69.5	69.6	70.6	61.2	68.0
	in total	67.9	69.4	74.4	67.2	69.2
	males	52.4	46.9	51.4	58.8	51.7
Rice	females	54.9	52.4	54.9	55.3	53.3
	in total	53.5	51.0	53.5	56.3	52.7
	males	15.2	29.7	28.6	20.6	21.8
Peas	females	13.4	6.8	5.9	7.1	8.1
	in total	14.4	12.5	15.1	10.9	13.1
	males	2.9	7.8	22.9	11.8	8.4
Millet	females	4.9	4.2	-	2.4	3.4
	in total	3.7	5.1	9.3	5.0	5.3
	males	7.6	10.9	34.3	20.6	14.3
Wheat groats	females	6.1	13.6	5.9	10.6	10.5
-	in total	7.0	12.9	17.4	13.4	11.9
	males	6.7	7.8	17.1	8.8	8.8
Pearl barley	females	14.6	7.9	3.9	5.9	8.3
,	in total	10.2	7.8	9.3	6.7	8.5
	males	3.8	6.3	8.6	5.9	5.5
Oatmeal	females	2.4	2.6	5.9	3.5	3.2
	in total	3.2	3.5	7.0	4.2	4.0
	males	8.6	20.3	11.4	29.4	15.1
Others	females	13.4	11.5	7.8	15.3	12.2
	in total	10.7	13.7	9.3	19.3	13.3

Table 6. The frequency of the students' consumption of fish and seafood (n = 647, %)

The number of times	Gender -		Total			
The number of times	Gender	1st	2nd	3rd	4th	%
	males	10.5	10.9	5.7	14.7	10.5
Once a day	females	4.9	14.1	7.8	8.2	10.3
,	in total	8.0	13.3	7.0	10.1	10.4
	males	4.8	7.8	-	2.9	4.6
2-3 times a day	females	4.9	8.4	3.9	1.2	5.6
•	in total	4.8	8.2	2.2	1.7	5.3
	males	9.5	14.1	14.3	11.8	11.8
Once every 2 days	females	13.4	16.8	2.0	11.8	13.2
, ,	in total	11.2	16.1	7.0	11.8	12.7
	males	36.2	37.5	45.7	38.2	38.2
1-2 times a week	females	28.0	26.7	39.2	50.6	33.5
	in total	32.6	29.5	41.9	47.0	35.1
	males	39.0	29.7	34.3	32.4	34.9
Sometimes	females	48.8	34.0	47.1	28.2	37.4
	in total	43.4	32.9	41.9	29.4	36.5

polysaccharides, dietary fiber, pectin), which have radioprotective properties, so their consumption in the required amount is a prerequisite for the proper nutrition of young students. Fresh fruits and vegetables, fruit and vegetable juices, jellies, beverages containing a lot of pectins should be used in the preventive nutrition of students who live in a polluted environment and also come into contact with inorganic compounds, heavy metals or radionuclides.

The studies also showed that almost all students consumed excessive amounts of pure carbohydrates (sugar, jams, etc.),

which are desirable to be replaced with fruits, vegetables, cereals, honey, etc. The consumption of sweets for breakfast, lunch, and dinner was typical for 12.8% of students (Table 9).

Therefore, it can be summarized that there is a pronounced deficiency of meat, fish, milk and dairy products, fresh vegetables and fruits in the diet of students. The insufficient quantity and small range of products containing vitamins A, C, B2 are consumed. Polynutrietic malnutrition or so-called latent hunger is common. From a physiological point of view, the nutrition of students is poor, in terms of age,

Table 7. The frequency of students' consumption of dairy products (n = 647, %)

The number of times	Condor -		The year	of study		Total
The number of times	Gender	1st	2nd	3rd	4th	%
	males	21.9	23.3	31.4	23.5	23.9
Once a day	females	14.6	17.8	11.8	12.9	15.4
•	e a day females in total males females in total males females in total in total males e every 2 days females in total males females females	18.7	19.2	19.8	16.1	18.5
	males	17.1	14.1	5.7	11.8	13.9
2-3 times a day	females	11.0	9.4	-	12.9	9.3
2 5 times a day	in total	14.4	10.6	2.3	12.6	11.0
	males	15.2	18.8	11.4	35.3	18.5
Once every 2 days	females	9.8	14.7	17.6	16.5	14.4
, ,	in total	12.8	15.7	15.1	21.8	15.9
	males	17.1	21.9	28.6	11.8	19.3
1-2 times a week	females	32.9	26.2	39.2	37.6	31.6
	in total	24.2	25.1	34.9	30.3	27.1
	males	28.7	21.9	22.9	17.6	24.4
Sometimes	females	31.7	31.9	31.4	20.1	29.3
	in total	29.9	29.4	27.9	19.2	27.5

Table 8. The frequency of the students' consumption of fresh fruits and vegetables in winter (n = 647, %)

The number of times	Candan -	T-+-10/				
The number of times	Gender -	1st	2nd	3rd	4th	Total %
	males	69.5	71.9	80.0	67.7	71.4
Once a day	females	71.9	66.5	72.5	75.3	70.2
•	in total	70.6	67.8	75.6	73.1	70.6
	males	18.1	25.0	17.1	23.5	20.6
2-3 times a day	females	12.2	20.9	15.7	14.1	17.1
•	in total	15.5	22.0	16.3	16.8	18.4
	males	12.4	3.1	2.9	8.8	8.0
Once every 2 days	females	15.9	12.6	11.8	10.6	12.7
	in total	13.9	10.2	8.1	10.1	11.0

Table 9. The frequency of the students' consumption of sweets (n = 647, %)

The number of times	Gender -	The year of study				Total
The number of times	Gerider	1st	2nd	3rd	4th	%
3-4 times a day	males females in total	21.0 11.0 16.6	9.4 13.6 12.5	5.7 7.8 7.0	14.7 10.6 11.8	14.7 11.7 12.8
1-2 times a day	males females in total	61.9 61.0 61.5	60.9 55.5 56.9	74.3 74.6 74.4	58.8 58.8 58.8	63.0 59.7 60.9
Try not to eat sweets	males in total	17.1 21.9	29.7 30.6	20.0 18.6	26.5 29.4	22.3 28.6 26.3

Table 10. The level of health of the EG and CG students at the end of studying at HEI (Mean±SD. n=120)

Indicators		Males (n=60)			Females (n=60)			
ilidicators	EG (n=30)	CG (n=30)	р	EG (n=30)	CG (n=30)	р		
Body mass index, kg/m ²	22.8±0.22	23.6±0.24	< 0.05	20.7±0.25	22.1±0.26	<0.01		
Life index, ml/kg	58.9±1.19	54.8±1.21	<0.05	51.6±1.27	47.2±1.30	<0.05		
Power index, %	61.3±1.04	56.4±1.12	<0.01	48.8±1.09	40.2±1.14	<0.001		
Robinson's index. s.u.	84.7±1.18	90.0±1.26	<0.01	79.1±1.23	83.4±1.29	<0.01		
Heart rate recovery after 20 squats in 30 sec, sec	112.4±2.38	127.1±2.51	<0.001	119.5±2.87	136.2±3.02	<0.01		
The level of physical health, points	6.07±0.61	2.94±0.48	<0.001	6.51±0.59	3.17±0.54	<0.001		

gender, educational and physical activity, participation in competitions and recreation, and so on.

To study the impact of the quality of students' nutrition on the state of their health while studying at higher education institutions (HEI), we conducted a comparative analysis of the level of physical health of students whose nutrition was rational (experimental groups) and irrational (control groups), using the G. L. Apanasenko's method (Table 10).

The analysis of the body mass index indicated that the average indicators of both female and male students were better authentically at the end of studying at HEI. The difference in the indicators between EG and CG was authentic and accounts for 0.8 kg/m² for male students (p<0.05), and 1.4 kg/m² for female students (p<0.01). The investigation of life index showed that it was 4.1 ml/kg and 4.4 ml/kg better respectively in both experimental groups in comparison with control groups authentically (p<0.05). A similar tendency was observed during the analysis of the other indices: power index, Robinson's index, heart rate recovery after 20 squats in 30 sec – the indicators of the EG students (both male and female) were better than the indicators of the CG students authentically (p<0.05-0.001) (Table 10). The analysis of the physical health level defined that the health level was better authentically (p<0.001) in both experimental groups than in control ones by 3.13 and 3,34 points respectively that emphasises the necessity to eat rationally to preserve the health. The conducted analysis proved the importance of the nutritional quality for the students' health improvement and the efficient studying and future professional activity.

DISCUSSION

The scientists [13, 15] mention that nutrition is of high importance for some groups of people from the health-improving perspective, and it can influence the life of entire nations from the social perspective. The history of cooking goes back to the distant past. Over the centuries, all peoples, regardless of their degree of social and cultural development, considered the process of eating to be not only the satisfaction of physiological needs, but also the part of the general culture.

Over the past 80 years, the world's population has almost tripled. According to experts, the world's population will increase by 3.7 billion people by 2030, food demand will doubled, and energy consumption tripled [21, 27]. Thus, we can already conclude that, despite the achievements of science and technology, tensions in society will increase, and the state of food and energy security of society will play a leading role. Today, every sixth person on the planet goes to bed hungry, 15-20 million children die each year from malnutrition; more than 30 million people even from relatively prosperous countries with economic systems in transition have poor nutritional quality [13].

In recent years, the deteriorating economic and environmental situation in Ukraine and around the world is constantly decreasing the quality of agricultural products and food in terms various indicators. There are changes in the content of protein and gluten in cereals, which negatively affects the quality of flour and, consequently, bread products. Growing of agricultural plants by intensive technologies, with the use of mineral fertilizers and agrochemicals, the introduction of genetic engineering has led to a decrease in the quality of food raw materials. On the other hand, food is exposed to biogenic and human-induced contaminants. The processing of agricultural raw materials and food production use a large number of food additives, which do not always have a positive effect on human health. Along with the decline in technological qualities and nutritional value, there is deterioration in the environmental safety of foods. The violation of the technology of using pesticides even in small doses, as well as the use of outdated technologies has led to the fact that the food contains a high amount of pesticides and heavy metals in a large number of domestic farms of various forms of ownership. This is confirmed by frequent food poisonings, especially of low-income people. According to experts, more than 60% of toxic substances enter the human body with food [26]. The current situation in the food markets of leading European countries and the United States indicates a special interest of consumers in healthy and wholesome food. The increased standard of living in developed countries changed also attitudes toward food. Consumers are becoming more conscious of their diet, willing not only to eat properly but also to eliminate any health risks.

Our data based on the results of the research show that the structure of students' nutrition is irrational, which is a risk factor for the future development of such diseases as hypertension, cholecystitis, diabetes, obesity, cancer, and others. It was found that, on the one hand, the main reasons for the low quality of student nutrition are low material and purchasing power of students and their parents and, on the other hand, insufficient level of knowledge, nutrition culture, non-compliance with the diet. This determines the need to improve the quality of the students' nutrition. The results of these studies require the teachers of physical education departments and other HEI structures to conduct educational work among students, as well as to establish a nutrition system at HEI, to plan classes, taking into account the time for students' eating.

The results obtained complement and extend the findings of many studies [39-42].

CONCLUSIONS

According to the results of the research conducted, it was determined that only 30.6% of students ate 3-4 times a day, 14.4% – twice a day, 49.8% did not follow any regimen, and 7.9% of students would not have breakfast at all, which is a violation of one of the requirements of a healthy lifestyle. It was defined that 43.7% of male students and 53.3% of female did not follow diet at all. In addition, the study designated that 49.6% of students often ate cold and dry food; 33.5% – convenience food (vermicelli, chicken broths, etc.); 26% – ate fat and oversalt foods often; more than 32% of students drank strong coffee and tea more than 2-3 times a day. A comparative analysis of the physical health of students whose

diet was rational and irrational during their studies showed that among both male and female students, the students whose diet was rational had significantly better (p<0.001) level of health. The difference accounts for 3.13 points in the group of male students and 3,34 points in the group of female students that emphasises the necessity to improve the nutritional quality to preserve students' health.

It was determined that the nutritional quality of the majority of students (both male and female) was low while studying at higher education institutions: their nutrition was irrational, incomplete and not varied. There was a severe deficiency of meat, fish, milk and dairy products, fresh vegetables, and fruits indicated in the diet of students. Their diet included an insufficient amount of foods that contain the necessary vitamins and minerals. The principles of achieving energy balance and the ratio between the main nutrients - proteins, fats, and carbohydrates - were not taken into account. Most students were defined to consume the excessive amount of animal fat and insufficient consumption of plant fat that leads to growth disorders, the decline of the organism's resistance, and skin disorders. All this do not contribute to a healthy lifestyle of modern students and can have a negative impact on the efficiency of their future professional activity. The prospects for future research are aimed at studying the ways to improve the students' diet while studying at HEI.

References

- 1. Danylenko HM, Sotnikova-Meleshkina ZhV, Smiianov VA. The impact of an educational institution on development of healthy lifestyle skills for prevention of obesity in adolescents. Wiad. Lek. 2020;73(5): 978-982. doi:10.36740/WLek202005126.
- Prontenko K, Griban G, Dovgan N et al. Students'health and its interrelation with physical fitness level. Sport Mont. 2019;17(3):41-46. doi 10.26773/ smi.191018.
- 3. Pishkovtsi A-MM, Rohach IM, Keretsman AO, Palko AI, Tsyhyka OI. State of dental health of children in Uzhhorod and the way of their nutrition. Wiad. Lek. 2020; 73(1): 73-77. doi:10.36740/WLek202001113.
- Irina A, Holovanova, Natalia A. Lyakhova, Olga V. Sheshukova et al. Studying the skills attitudes on factors affecting dental health of children. Wiad. Lek.2018;71 (3):740-747.
- Olha V, Sheshukova, Valentina P. Trufanova, Tetiana V. Polishchuk et al. Monitoring of efficiency of dental caries management in children's temporary teeth throughout poltava oblast. Wiad. Lek. 2018; 71(3):761-767.
- Vilenskiy MY. Sotsialno-psihologicheskie determinantyi formirovaniya zdorovogo obraza zhizni [Socio-psychological determinants of a healthy lifestyle]. Teoriya i praktika fizicheskoy kulturvi. 1994;9: 9-11. (In Russian).
- Prysiazhniuk S, Oleniev D, Tiazhyna A et al. Formation of heath preserving competence of students of higher educational institutions of information technologies specialties. Inter J Applied Exercise Physiol. 2019;8(3.1):283-292. doi:10.26655/IJAEP.2019.10.1.
- Turchyna NS, Savosko SI, Cherenko TM, Ribalko SL, Starosyla DB. Ultrastructural features of herpesvirus-induced aortic intima damage in mice fed the high-fat diet. Wiad. Lek. 2020;73(3):498-503. doi:10.36740/ WLek202003117.
- PanayotovV. Influence of food substitutes' diet on weight reduction in physically active obese people. Sport Mont. 2014;12(40-41-42):105-112.

- Mohammed M, Al-Qahtani M. Effects of 12 weeks aerobic exercise with a diet regimen on the glycemic control and cardiovascular health of boys with type 1 diabetes mellitus. International Journal of Applied Exercise Physiology. 2019;8(3): 49-58. Available from: http://www.ijaep.com/index. php/IJAE/article/view/518.
- 11. Gruzieva T, Galiienko L, Pelo I et al. Health and lifestyle of students' youth: status, problems and ways of solution. Wiad Lek. 2018;71(9):1753-1758.
- 12. Essaw E, Moses MO, Afrifa D et al. Physical activity patterns and dietary habits of undergraduate students. Baltic Journal of Health and Physical Activity. 2019;11(1):115-123. doi:10.29359/BJHPA.11.1.12.
- 13. Layko PA, Babienko MF, Buzovskiy EA. Bezpeka harchuvannya zaporukazdorov'ya [Food security is the key to good health]. Ekonomika EPK. 2004;10:37-46. (In Ukrainian).
- 14. Prontenko K, Griban G, Aloshyna A et al. The physical development and functional state as the important components of the students' health. Wiad. Lek. 2019;72(12a):2348-2353. doi:10.36740/WLek201912115.
- 15. Smith KJ, Blizzard L, McNaughton SA et al. Takeaway food consumption and cardio-metabolic risk factors in young adults. Eur J Clin Nutrition. 2012;66:577-584. http://doi.org/10.1038/ejcn.2011.202.
- 16. Griban G, Lyakhova N, Tymoshenko O. Current state of students' health and its improvement in the process of physical education. Wiad. Lek. 2020;73(7):1438-1447. doi:10.36740/WLek202007124.
- Mozolev O, Bloshchynsky I, Alieksieiev O et al. Influence of modern fitness technologies on the state of health and development of motor abilities of 17-19-year-old female students. J Phys Education Sport. 2019;19(3):917-924. doi:10.7752/jpes.2019.s3132.
- 18. Griban G, Prontenko K, Yavorska T et al. Non-traditional means of physical training in middle school physical education classes. Inter J Appl Exer Physiol. 2019;8(3.1):224-232. doi:10.26655/IJAEP.2019.10.1.
- Shkola O, Griban G, Prontenko K et al. Formation of valuable orientations in youth during physical training. Inter J Appl Exer Physiol. 2019;8(3.1): 264-272. doi:10.26655/IJAEP.2019.10.1.
- 20. Prontenko K, Griban G, Medvedeva I et al. Interrelation of students' motivation for physical education and their physical fitness level. Inter J Appl Exer Physiol. . 2019; 8(2.1): 815-824. doi https://doi.org/10.30472/ijaep. v8i2.1.566.
- Smolyar VI. Ratsionalnoe pitanie [Rational nutrition]. Kyiv: Naukova dumka; 1991: 368.
- Kosiba G, Gacek M, Wojtowicz A, Majer M. Level of knowledge regarding health as well as health education and pro-health behaviours among students of physical education and other teaching specializations. Baltic Journal of Health and Physical Activity. 2019;11(1):83-95. doi:10.29359/ BJHPA.11.1.09
- Budagh'janc Gh.M. Zdorovyj sposib zhyttja osnovna umova profilaktyky deviantnoji povedinky pidlitka (istorychnyj aspekt) [Healthy lifestyle - the main condition for the prevention of adolescent deviant behavior (historical aspect)]. Pedaghoghika, psykhologhija ta medyko-biologhichni problemy fizychnogho vykhovannja i sportu. 2010;6:25-28. (In Ukrainian).
- 24. Bojanic D, Vasiljevic I, Petkovic J, Muratovic A. Athletes' knowledge of reduced sports nutrition. Sport Mont. 2015;13(43-44-45):94-98.
- Muntjan VS. Analyz faktorov, opredeljajushhykh zdorovj'e cheloveka y okazyvajushhykh na negho vlyjanyja [Analysis of factors that determine human health and influence it]. Fyzycheskoe vospytanye studentov. 2010;6: 44-47. (In Russian).
- 26. Health organization. Global strategy on diet, physical activity and health. Available from: http://www.who.int/dietphysicalactivity/pa/en/.

- Griban GP. Osnovi harchuvannya. Teoriya ta praktichni zastosuvannya [Basics of nutrition. Theory and practical applications]. Zhytomyr: Ruta; 2010:882.
- 28. Zavydivska O, Zavydivska N, Khanikiants O. Self-management as a condition for creating a health culture among students. J Phys Educ Sport. 2016;16(1):592-597. doi:10.7752/jpes.2016.s1093.
- 29. Malimon O, Volchinskiy A. Dinamika zahvoryuvanosti ta stanu zdorov'ya studentiv [Dynamics of student morbidity and health]. Fizichne vihovannya, sport i kultura zdorov'ya u suchasnomu suspilstvi. 2005;1:286-289. (In Ukrainian).
- Makarov S, Stoyan N, Serheta I, Taran O, Dyakova O. Peculiarities of the interaction of the indicators of psychophysiological adaptation of modern students in the context of the effective monitoring of individual health of young women and young men. Wiad. Lek. 2019; 72 (5a):1053-1058.
- 31. Apanasenko GL. Knygha o zdorovj'e [Health Book]. Kyev: Medknygha; 2007:132. (In Russian).
- 32. Maglovanyi AV. Osnovy informacijnogho polja zdorov'ja osobystosti [Basics of information field of personality health]. Visnyk Chernighivsjkogho nacionaljnogho pedaghoghichnogho universytetu imeni T. Gh. Shevchenka. Serija: Pedaghoghichni nauky. Fizychne vykhovannja ta sport. 2010;81:285-289. (In Ukrainian).
- 33. World Health Organization. Global recommendations on physical activity for health. Available from: http://www.who.int/dietphysicalactivity/factsheet_recommendations.
- 34. Griban GP. Zhyttiediialnist ta rukhova aktyvnist studentiv [Life activity and mobility of students]. Zhytomyr: Ruta; 2009:594. (In Ukrainian).
- 35. Bolotin A, Bakayev V. Structure and content of the educational technology of managing students'healthy lifestyle. J Phys Edu Sport. 2015;15(3):362-364. doi:10.7752/jpes.2015.03054.
- Apanasenko G, Dolzhenko L. Rivenj zdorov'ja i fiziologhichni rezervy orghanizmu. [The level of health and physiological reserves of the organism]. Teorija i metodyka fizychnogho vykhovannja i sportu. 2007;1:17-21. (In Ukrainian).
- 37. Smolenskiy VL, Shibaeva LS. Pitanie sportsmenov [Nutrition for athletes]. Kyiv: Zdorovie. 1982:52. (In Russian).
- 38. Griban G, Dovgan N, Tamozhanska G et al. State of physical fitness of the students of ukrainian higher educational institutions. Inter J Applied Exer Physiol. 2020;9(5):16-26. Retrieved from http://www.ijaep.com/index.php/IJAE/article/view/975.
- 39. Mozolev O, Khmara M, Shorobura I et al. Comparative analysis of the effectiveness of Polish and Ukrainian basic training programs in physical education for 9-10-year-old pupils. Univ J Educat Res. 2019;7(11):2345-2351. doi:10.13189/ujer.2019.071112.
- Griban G, Tymoshenko O, Arefiev V et al. (2020). The role of physical education in improving the health status of students of special medical groups. Wiad. Lek. 2020;73(3): 534-540. doi:10.36740/WLek202003125.

- Prontenko K, Griban G, Bloshchynskyi I et al. Improvement of students' morpho-functional development and health in the process of sportoriented physical education. Wiad Lek. 2020;73(1):161-168. doi:10.36740/ WLek202001131.
- 42. Warburton D, Nicol CW, Bredin SS. D. Health benefits of physical activity: the evidence. Canadian Med Assoc J. 2006;174:801-809.

The work was carried out according to the plan of the research work of Zhytomyr Ivan Franko State University for 2014-2024 on the theme of "Theoretical and methodological bases of improving the educational process of physical education at higher educational institutions" (state registration number 0114U003978).

Received: 29.01.2021 **Accepted:** 23.02.2021

Conflict of interest:

The Authors declare no conflict of interest

ADDRESS FOR CORRESPONDENCE:

Grygoriy P. Griban

Zhytomyr Ivan Franko State University Zhytomyr, Ukraine phone: +380973341092

e- mail: gribang@ukr.net

ORCID ID and AUTHORS CONTRIBUTION
0000-0002-9049-1485 - Grygoriy P. Griban (A, B)
0000-0001-8164-9706 - Vladyslav A. Smiianov (E, F)
0000-0003-0503-9935 - Natalia A. Lyakhova (A, E)
0000-0003-4407-8611 - Pavlo P. Tkachenko (B, C)
0000-0001-7859-8637 - Alla M. Harlinska (C, E)
0000-0002-4715-028X - Nadya Yu. Dovgan (B, D)
0000-0003-0271-9206 - Roman P. Karpiuk (F, E)
0000-0002-4071-5766 - Yurii A. Brytan (D)

A - Research concept and design, B - Collection and/or assembly of data, C - Data analysis and interpretation, D - Writing the article, E - Critical revision of the article, F - Final approval of article

Attachment 1.

QUESTIONNAIRE for studying the students' nutritional status

In order to study the nutritional status of students, we ask you to answers the questions, not missing any of them. The correctness of the conclusions will depend on the faithfulness of your answers. This will provide an opportunity to create new methodical and practical recommendations for improving the nutrition system at the higher education institution, to influence the range of food in the canteen. Your life experience, your knowledge of nutrition can make it more nutritious and balanced. It is not difficult to answer the questions. Each of them is provided with several possible answers. Read them, choose one and underline it. If none of the suggested answers is suitable, add your own. We left a space for this. The survey is anonymous. Your answers will be used in a generalized form for scientific purposes only. We hope for your help and we are sincerely grateful to you in advance.

 What is your gender? ■ male ■ female What is your year of study? ■ I ■ II ■ III ■ IV What is your educational department? ■ special department ■ main department ■ What is your age? ■ 17, ■ 18–20, ■ 21 or more ■ What is your marital status? ■ married ■ not married ■ What is your place of residence? ■ village ■ rural settlement ■ city ■ Where did you get the secondary education?
 ■ in a village school ■ in the city school ■ in a vocational-technical school ■ in a college 1. How often do you eat? ■ 3-4 times a day ■ at a certain time ■ 2 times a day ■ I have dinner 2-3 hours before bedtime ■ I do not eat breakfast ■ it depends, I do not stick to an eating schedule ■ unit depends, I do not stick to an eating schedule
2. Do you eat liquid food (soup)? ■ 2 times a day ■ once a day ■ once every 2-3 days ■ I rarely eat liquid food ■
3. Do you eat cold, very hot, or dry food? ■ I try not to eat it ■ I eat it often ■
4. Do you eat fatty, bitter, sour, and over-salted food? ■ I try not to eat it ■ I eat it often ■
5. Do you eat sweets: sugar, candies, jams, cakes, pies? ■ 3–4 times a day ■ 1–2 times a day ■ I try not to eat them
6. Do you drink strong tea or coffee? ■ I do not drink them ■ once a day ■ 2–3 times a day
7. Do you have good nutrition? ■ yes ■ no ■ I cannot determine
8. Do you like to have a substantial meal? ■ yes ■ no ■ sometimes when I am on a visit to somebody
9. Do you have a fasting day once a week? ■ no ■ yes ■

10. Do you follow a diet?	
■ no ■ yes why?	
11. How often do you eat fresh fruit in the winter and how	w much?
once a day – which ones?	gram
■ 2–3 times a day – which ones?	gram
as much as I want – which ones?	
12. How often do you eat fresh vegetables in the winter a	nd how much?
■ once a day – which ones?	
■ 2–3 times a day – which ones?	gram
■ as much as I want – which ones?	gram
 13. Do you eat convenience food? yes ■ no 14. How often do you eat fish and seafood? once a day ■ 2-3 times a day ■ 1 time every 1-2 times a week ■ rarely 	two days
15. How often do you eat dairy products? ■ once a day ■ 2–3 times a day ■ 1 time ever ■ 1–2 times a week ■ rarely	y two days
16. Which cereals are dominant in your diet? ■ buckwheat ■ rice ■ peas ■ millet	■ wheat grits ■ pearl barley
17. How many times a day do you eat potatoes? ■ not once ■ 1 time ■ 2 times ■ 3 time	es or more

Thank you for participating in the survey!

ADRES DO KORESPONDENCJI:

Agnieszka Maruszewska

Ośrodek Rehabilitacji, Instytut Medycyny Wsi ul. Jaczewskiego 2 20-090 Lublin, Polska

tel.: 81 718 44 51

e-mail: aga_maruszewska@op.pl

ORCID ID i WKŁAD AUTORÓW W PRACę:

0000-0002-7725-6691 - Agnieszka Maruszewska (A, B, C, D, F) 0000-0001-6210-2887 - Lech Panasiuk (E)

Katarzyna Bryzek-Michalak (D)

A - Koncepcja i projekt badawczy, B - Gromadzenie i/lub gromadzenie danych, C - Analiza i interpretacja danych, D - Pisanie artykułu, E - Krytyczna rewizja artykułu, F - Ostateczne zatwierdzenie artykułu

Szanowni Państwo!

Więcej informacji o czasopiśmie, szczegółowy regulamin publikowania prac i przysyłania artykułów znajduje się na stronie www.actabalneologica.eu